


TAKE CONTROL OF YOUR BATHING EXPERIENCE.









A DIVERTER THAT GIVES YOU PRECISION CONTROL





Starts and stops with a simple push of a button



Turning dial allows precise flow control



Easy to read symbols on buttons

Cat Code: BSTU102 | MRP: ₹20,000







Vernet cartridge | World-class technology | Engineered for great performance



A durable product made from brass



Engineered for great performance

Cat Code: BSTB102 | MRP: ₹45,000







WHY CHOOSE NEOCONTROL?



Set desired temperature



Control over multiple showering options




Flow control option with easy grip



Elegant and minimalist design





Advanced engineering and superlative performance





Sturdy cover to keep the body free from damage (during construction) and make installation easier


TECHNICAL PRODUCT DIAGRAMS




















COMPATIBLE PRODUCTS



Ceiling shower - BSCS101

Stainless steel ceiling shower, with two-flow functions: rainfall flow and mist flow (20 inches)



Mystic spout - MYSP102

Bathtub spout with button arrangement



Body jets - BSBJ402

Brass body shower square 54*54 mm dual flow (mist and rain)



Dual Flow Body Shower - BSBJ401

Mist and rain shower 54*54 mm



Brass Body Shower - BSBJ202

Concealed rectangular shape with the installation 130 x 120 mm



Self-cleaning telephonic shower - BHTS102


Stainless steel ceiling shower, with two-flow functions: rainfall flow and mist flow



Brass Body Shower - BSBJ201

Concealed round shape with the installation 120 mm

INLET AND OUTLET PRODUCT LINE DIAGRAM



CUSTOMISE YOUR THERMOSTATIC SHOWER WITH OUR RECOMMENDED COMBINATIONS

COMBINATION 1



COMBINATION 2



Product: Plain Spout Cat code: ALSP101 Qty: 1



Product: Body Jet (2 quantity for 4 inches) Cat code: BSBJ202 Qty: 2



Product: OHS 8" Square Cat code: BHRF102 Qty: 1

COMBINATION 3



Product: OHS 8" Square Cat code: BHRF102 Qty: 1



Product: Body Jet (4 qty for 2 inches) Cat code: BSBJ402 Qty: 4



Product: Hand Shower Square Cat code: BHTS102 Qty: 1

COMBINATION 4



Product: Ceiling Shower Flow 1 (Rainfall Flow) Cat code: BSCS101 Qty: 1



Product: Ceiling Shower Flow (Mist Flow) Cat code: BSCS101 Qty: 1



Product: Hand Shower Square Cat code: BHTS102 Qty: 1

Free Outlet*
4 inches Body Jet 2 units with 20 mm CSC
2 inches Body Jet 4 units with 20 mm CSC

*Not applicable for Combination 3

THINGS TO KEEP IN MIND



Hot water temperature between 60 degrees to 65 degrees celsius



Cold water temperature between 10 degrees to 15 degrees celsius



Temperature difference 50 degrees celsius



Pressure = 3 bar



Fine impurities like sand and metallic particles may disturb the function.
Therefore, it is advised to drain the pipes to remove all the impurities before installing the body



It is advised to install at least 2 Y strainer in main supply line coming from overhead tank. Please make sure that Y strainer is placed, where it can be easily accessed for cleaning



The hot/cold inlet pressures have to be limited to 5 bar, with a difference of pressure between hot and cold not exceeding 2 bar

WARRANTY

PRODUCT	NeoControl thermostatic body	NeoControl thermostatic upper plate
CAT CODE	BSTB102	BSTU102
RESIDENTIAL USE	12 years	12 years
COMMERCIAL USE	7 years	7 years

